

SAFETY DATA SHEET

Revision Date 09-Apr-2015 Version 1

1. IDENTIFICATION

Product identifier

Product Name Rain-X Original Glass Treatment

Other means of identification

Product Code 11890

Document SKU: 800002242, 800002243, 800002250

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Glass Treatment, Consumer Use

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address Manufacturer Address Distributor

ITW Global Brands 6925 Portwest Dr., Suite 100

Houston, TX 77024

Company Phone Number 1-855-888-1988

24 Hour Emergency Phone Number (CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.)

(RMPDC) 1-877-504-9352 (U.S.)

E-mail address SDS@itwgb.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Serious eye damage/eye irritation | Category 2 |
|--|-------------|
| Carcinogenicity | Category 1B |
| Specific target organ toxicity (single exposure) | Category 3 |
| Flammable liquids | Category 2 |

Label elements

Emergency Overview

Danger

Causes serious eye irritation May cause cancer May cause drowsiness or dizziness Highly flammable liquid and vapor







Appearance Clear Colorless Physical state Liquid Odor Alcohol

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF SWALLOWED: Rinse mouth. DO NO induce vomiting

IF SKIN irritation occurs: rinse thoroughly and get medical advice

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Keep out of reach of children

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

substance(s)

| Chemical Name | CAS No | Weight-% | Trade Secret |
|-------------------|-----------|----------|--------------|
| ETHANOL | 64-17-5 | 30 - 60 | * |
| ACETONE | 67-64-1 | 10 - 30 | * |
| ISOPROPYL ALCOHOL | 67-63-0 | 10 - 30 | * |
| Sulfuric acid | 7664-93-9 | 0.1 - 1 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician.

Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO2, sand, earth, water spray or regular foam

Unsuitable extinguishing media

CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Flammable vapors may be present even at temperatures below the flash point.

Explosion data

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge May be ignited by heat, sparks or flames.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes and

inhalation of vapors. Use personal protective equipment as required. ELIMINATE all ignition

sources (no smoking, flares, sparks or flames in immediate area).

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat,

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static

electricity). Keep out of the reach of children.

Incompatible materials None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------|----------------------------------|--|------------------------------|
| ETHANOL | STEL: 1000 ppm | TWA: 1000 ppm | IDLH: 3300 ppm |
| 64-17-5 | | TWA: 1900 mg/m ³ | TWA: 1000 ppm |
| | | (vacated) TWA: 1000 ppm | TWA: 1900 mg/m ³ |
| | | (vacated) TWA: 1900 mg/m ³ | |
| ACETONE | STEL: 750 ppm | TWA: 1000 ppm | IDLH: 2500 ppm |
| 67-64-1 | TWA: 500 ppm | TWA: 2400 mg/m ³ | TWA: 250 ppm |
| | | (vacated) TWA: 750 ppm | TWA: 590 mg/m ³ |
| | | (vacated) TWA: 1800 mg/m ³ | - |
| | | (vacated) STEL: 2400 mg/m ³ The | |
| | | acetone STEL does not apply to the | |
| | | cellulose acetate fiber industry. It is | |
| | | in effect for all other sectors | |
| | | (vacated) STEL: 1000 ppm | |
| ISOPROPYL ALCOHOL | STEL: 400 ppm | TWA: 400 ppm | IDLH: 2000 ppm |
| 67-63-0 | TWA: 200 ppm | TWA: 980 mg/m ³ | TWA: 400 ppm |
| | | (vacated) TWA: 400 ppm | TWA: 980 mg/m ³ |
| | | (vacated) TWA: 980 mg/m ³ | STEL: 500 ppm |
| | | (vacated) STEL: 500 ppm | STEL: 1225 mg/m ³ |
| | | (vacated) STEL: 1225 mg/m ³ | - |
| Sulfuric acid | TWA: 0.2 mg/m³ thoracic fraction | TWA: 1 mg/m ³ | IDLH: 15 mg/m ³ |
| 7664-93-9 | | (vacated) TWA: 1 mg/m ³ | TWA: 1 mg/m ³ |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses or goggles if splashing is likely to occur.

Skin and body protection Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

Respiratory protectionUse NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Setaflash Closed Cup

Appearance Clear Colorless
Odor Alcohol

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 1.5 - 2.5

Melting point / freezing point
Boiling point / boiling range
Flash point

No information available
No information available
-2.78 °C / 27.0 °F

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information available

Relative density 0.810 - 0.812 **Water solubility** Soluble in water

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point No information available Molecular weight No information available

VOC Content (%) 72.5%

Density0.806 - 0.808 g/cm3Bulk densityNo information available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal use

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks. Excessive heat.

Incompatible materials

None known

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract. May be harmful if inhaled.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

Skin contact May cause skin irritation and/or dermatitis.

Ingestion Ingestion may cause irritation to mucous membranes. May be harmful if swallowed.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------|--------------------|-------------------------|-------------------------------------|
| ETHANOL | = 7060 mg/kg (Rat) | - | = 124.7 mg/L (Rat) 4 h |
| 64-17-5 | | | |
| ACETONE | = 5800 mg/kg (Rat) | - | = 50100 mg/m ³ (Rat) 8 h |
| 67-64-1 | | | - ' ' |
| ISOPROPYL ALCOHOL 67-63-0 | = 1870 mg/kg (Rat) | = 4059 mg/kg (Rabbit) | = 72600 mg/m³ (Rat) 4 h |
| Sulfuric acid 7664-93-9 | = 2140 mg/kg (Rat) | - | = 510 mg/m³ (Rat) 2 h |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available. **Germ cell mutagenicity**No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-------------------|-------|---------|-------|------|
| ETHANOL | A3 | Group 1 | Known | X |
| 64-17-5 | | · | | |
| ISOPROPYL ALCOHOL | - | Group 1 | - | X |
| 67-63-0 | | - | | |
| Sulfuric acid | A2 | Group 1 | Known | X |
| 7664-93-9 | | | | |

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Chronic toxicity May cause adverse effects on the bone marrow and blood-forming system. May cause

adverse liver effects. Contains a known or suspected reproductive toxin.

Target Organ Effects Blood, Central nervous system, Eyes, Liver, Reproductive System, Respiratory system,

Skin.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5129 mg/kg ATEmix (dermal) 12794 mg/kg ATEmix (inhalation-dust/mist) 120.1 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------|----------------------|-----------------------------------|----------------------------------|
| ETHANOL | - | 12.0 - 16.0: 96 h Oncorhynchus | 9268 - 14221: 48 h Daphnia magna |
| 64-17-5 | | mykiss mL/L LC50 static 100: 96 h | mg/L LC50 2: 48 h Daphnia magna |
| | | Pimephales promelas mg/L LC50 | mg/L EC50 Static 10800: 24 h |
| | | static 13400 - 15100: 96 h | Daphnia magna mg/L EC50 |
| | | Pimephales promelas mg/L LC50 | |
| | | flow-through | |
| ACETONE | - | 4.74 - 6.33: 96 h Oncorhynchus | 10294 - 17704: 48 h Daphnia |
| 67-64-1 | | mykiss mL/L LC50 6210 - 8120: 96 | magna mg/L EC50 Static 12600 - |
| | | h Pimephales promelas mg/L LC50 | 12700: 48 h Daphnia magna mg/L |
| | | static 8300: 96 h Lepomis | EC50 |

11890 - Rain-X Original Glass Treatment

| | | macrochirus mg/L LC50 | |
|-------------------|----------------------------------|----------------------------------|--------------------------------|
| ISOPROPYL ALCOHOL | 1000: 96 h Desmodesmus | 11130: 96 h Pimephales promelas | 13299: 48 h Daphnia magna mg/L |
| 67-63-0 | subspicatus mg/L EC50 1000: 72 h | mg/L LC50 static 9640: 96 h | EC50 |
| | Desmodesmus subspicatus mg/L | Pimephales promelas mg/L LC50 | |
| | EC50 | flow-through 1400000: 96 h | |
| | | Lepomis macrochirus µg/L LC50 | |
| Sulfuric acid | - | 500: 96 h Brachydanio rerio mg/L | 29: 24 h Daphnia magna mg/L |
| 7664-93-9 | | LC50 static | EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Disperses in water.

| Chemical Name | Partition coefficient |
|-------------------|-----------------------|
| ETHANOL | -0.32 |
| 64-17-5 | |
| ACETONE | -0.24 |
| 67-64-1 | |
| ISOPROPYL ALCOHOL | 0.05 |
| 67-63-0 | |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations. Recover or recycle if possible.

Contaminated packaging Do not reuse container.

US EPA Waste Number D001

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------|------|---------------------------|------------------------|------------------------|
| ACETONE | = | Included in waste stream: | - | U002 |
| 67-64-1 | | F039 | | |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|-------------------|-----------------------------------|
| ETHANOL | Toxic |
| 64-17-5 | Ignitable |
| ACETONE | Ignitable |
| 67-64-1 | |
| ISOPROPYL ALCOHOL | Toxic |
| 67-63-0 | Ignitable |
| Sulfuric acid | Toxic |
| 7664-93-9 | Corrosive |

14. TRANSPORT INFORMATION

DOT

UN/ID no UN 1987

Proper shipping name: ALCOHOLS, N.O.S, Limited Quantity (LQ)

Hazard Class

Packing Group ||

IATA

UN/ID no ID 8000

Proper shipping name: Consumer commodity, Limited Quantity (LQ)

Hazard Class 9

IMDG

UN/ID no UN 1987

Proper shipping name: ALCOHOLS, N.O.S, Limited Quantity (LQ)

Hazard Class 3
Packing Group ||

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA** DSL/NDSL Complies Complies **EINECS/ELINCS** Not determined **ENCS IECSC** Not determined **KECL** Not determined **PICCS** Not determined Not determined **AICS**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|-----------------------------------|-------------------------------|
| ISOPROPYL ALCOHOL - 67-63-0 | 1.0 |
| SARA 311/312 Hazard Categories | |
| Acute health hazard | No |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sulfuric acid 7664-93-9 | 1000 lb | - | - | Х |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name Hazardous Substances RQs CERCLA/SARA RQ Reportable Quantity (RQ) |
|--|
|--|

| ACETONE | 5000 lb | - | RQ 5000 lb final RQ |
|---------------|---------|---------|---------------------|
| 67-64-1 | | | RQ 2270 kg final RQ |
| Sulfuric acid | 1000 lb | 1000 lb | RQ 1000 lb final RQ |
| 7664-93-9 | | | RQ 454 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage Sulfuric acid is only considered a Proposition 65 carcinogen hazard in the industrial processing of strong inorganic acids

| Chemical Name | California Proposition 65 | |
|---------------------------|---------------------------|--|
| ETHANOL - 64-17-5 | Carcinogen | |
| | Developmental | |
| Sulfuric acid - 7664-93-9 | Carcinogen | |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|------------------------------|------------|---------------|--------------|
| ETHANOL 64-17-5 | X | X | X |
| ACETONE 67-64-1 | X | X | X |
| ISOPROPYL ALCOHOL 67-63-0 | X | X | X |
| WATER 7732-18-5 | - | - | X |
| Sulfuric acid 7664-93-9 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2A - Very toxic materials, Non-controlled

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 3 Instability 0 -

Health hazards 2 Flammability 3 Physical hazards 1 Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 09-Apr-2015

Revision Note 4

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet